EXACTA Dental Products, Inc. 44780 Macomb Industrial Drive Clinton Township, MI 48036 (800) 474-7665

Product Name: VPS Gel

Date of Issue: September 14, 2006, Rev. 1

Emergency Contact: 800-474-7665

2. Composition and Information on Ingredients

Elements	CAS#	OSHA	CGIH TLV
Elements	CASH	PELA	com iev
Polyvinyldimethylsiloxane	68083-18-1	NE	NE
Inorganic Fillers	21665-51-2,112926-00-8,14464-46-1	N/A	N/A
Pigments	Various	NE	NE
SiH Capped Polysiloxane			

3. Hazard Identification

Risk identification: None Known

Special risks for human beings and environment: None Known

Classification: None Known

4. First Aid Measures

General information:

After skin contact: Wash thoroughly with soap & wate, consult a physician if irritation occurs. After eye contact: Flush eye with large amounts of water; consult an opthamologist

After eye contact. Flush eye with large amounts of water, consult an opt

After swallowing: Consult a physician immediately

5. Fire Fighting Measures

Extinguishing media: Sand, foam, CO2, dry chemical

Protective equipment: Firefighters should war full protective colthing, inlucding a self-contained breathing apparatus. During a fire, irritating and/or toxic gases and aerosols may be present from the decomposition /combustio products.

6. Accidental Release Measures

Personal precautions: Follow hygienic measures.

Environmental precautions: Unkown

Methods for cleaning up: Cover with an absorbent material such as sand or sawdust; scoop up and place in appropriately marked container.

Additional information: Unknown

7. Handling and Storage

Handling: Good hgienic measures and handle with care.

Handling procedures: No special requirements

Recommendation for fire and Explosion protection: Unkown.

Storage: Store at or below room temperature

8. Exposure Controls / Personal Protection

Additional Information: Unknown

Personal protective equipment: Protective gloves and goggles are recommended.

General measure of protection and hygiene: Follow normal hygienic measures

Respiration: Not necessary Hands: Protective gloves

Eyes: OSHA approved goggles

9. Physical and Chemical Properties

Appearance: Low viscosity gel

Color:

Odor: None

Information on change in the physical state: Melting point/melting range: Unknown Boiling point/boiling range: Unknown

Flash point: 485F(285C)

Autoignition temperature: Unknown Danger of explosion: Not likely

Density: Not likely

Vapor pressure: Unknown

Viscosity: Variable with consistancy

pH: Not applicable

Solubility in/miscibility with water: Insoluble Content of solids: Variable with each consistency

10. Stability and Reactivity

Incompatibility with other substances: Stable at normal conditions

Hazardous decomposition products: Not Applicable

11. Toxicological Information

Carcinogenicity: NTP: not listed, IARC Monographs: not listed, OSHA Regulated: not listed

TLV

Primary routes of entry: Ingestion, skin, and eyes

12. Ecological Information

Unknown

13. Disposal Considerations

Dispose in accordance with Federal, State and local regulations.

14. Transport Information

Unknown

15. Regulatory Information

Unknown

16. Other Information

Unknown

The information presented herein is believed to be factual, as it has been derived from the works of person believed to be qualified experts. However, nothing contained in this information is to be taken as a warranty or representation for which EXACTA Dental Products, Inc. bears legal responsibility. The user should review any recommendations in the specific contact of the intended use to determine whether they are appropriate.